



Safer mobility with comfort

The LiKAMED transport chair is specifically designed to safely transport patients, enabling you to move your patients safely from one place to another, whether you need to transport patients between different areas or for use in emergencies. With an ergonomic seat position and adjustable back and foot parts as well as adjustable armrests, SALVA provides a high degree of patient comfort.



The benefits of the SALVA® transport chair from LiKAMED



- Highly mobile due to its low weight, smooth-running outdoor wheels and easy-moving casters.
- Entry or exit aid for patients with limited mobility.
- High patient comfort due to ergonomic upholstery.
- Individual adaptation due to the adjustable back and foot parts as well as tiltable armrests.
- Easy operation and handling.
- Durable chair due to robust materials and high product quality overall.

SALVA® Transport Chair

The efficient hospital assistant



Individual flexibility with seat, comfort and lying positions

Back and foot parts can be steplessly and independently manually adjusted. For emergencies, the chair can be lowered to a head-down position.





Folding upwards armrests with additional tilt adjustment

So that patients can easily get in and out of the chair from the side and for quick patient access in an emergency, the armrests can completely fold away.



Push handle

The effortless back part adjustment is integrated in the ergonomic push handle.

Colours for every environment

SALVA upholstery











The imitation leather of the upholstery has a pleasing surface and a particularly long life. The upholsteries are dirt resistant, resistant to scratching and tears, and resistant to disinfectants.

The right option for every application

Entry or exit aid

Accommodate patients with the standing function. Particularly for older patients, being able to get into and out of the chair easily is very important. A helpful support for those with limited mobility as well as completely relieving the burden on nursing staff when mobilising patients.





Height adjustment

You can adjust the seat height to the individual needs of patients and staff.

Synchronously adjustble back and foot partsWhen the backrest is adjusted, the foot part

When the backrest is adjusted, the foot part automatically moves with it.



Extendable footboard

The footboard can be easily pushed aside to save space when not needed, thus not obstructing either patients or nursing staff.



Wheels Ø 30 cm

Wheels suitable for outdoors for frequent and longer distances in the hospital.



Antistatic double casters

The four electrically conductive double casters with a diameter of 12.5 cm have direction locking at the front, are smooth running and have a closed, hygienic construction.



Infusion rod holder

Ensure patient mobility with the infusion rod holder that can be mounted on either side.



Infusion rod incl. bottle holder

The height-adjustable accessory for the infusion rod holder



Standard rails

The standard rails on both sides of the seat part are ideal for securely mounting accessories.

© LiKAMED GmbH. 59-99-127-EN 2023.10

Focused on design and quality likamed.de



Specifications	SALVA
Armrests length \times width \times height	
Full-foam armrest pads	39 cm × 7 cm × 4 cm
Upholstery	
$Length \times width \times height$	166 cm × 50 cm × 4–10 cm
Cover	UV resistant, impermeable to moisture, tested for biocompatibility
	and toxicity, flame retardant and exceptionally durable.
Total length (max.) \times total width (max.) \times total height (max.)	166 cm × 69 cm × 122 cm
with height adjustment	166 cm × 69 cm × 145 cm
Floor clearance	60 mm
with foot rest	40 mm
Seat height	48 cm
with height adjustment	48 cm to 75 cm
Tilt angle	
Back part (relative to seat part)	12° to 82°
Seat part	8°
Seat part with access assistance	8° to -17°
Foot part (relative to seat part)	10° to -90°
Casters and wheels	
\varnothing 12.5 cm antistatic casters with direction locking at front and central lock at back	•
\varnothing 12.5 cm antistatic double casters with direction locking at front	
and central lock at back	0
\varnothing 30 cm wheels at front and \varnothing 12.5 cm casters with central lock at back	0
Manual adjustment	
Back part	•
Foot part	•
Back and foot parts synchronously adjustable	0
Height adjustment	0
Extendable foot rest	0
Safe working load	215 kg
Frame colour	light grey – RAL 7047
Footboard	light grey – RAL 7035
Weight (without options)	60 kg
Guarantee	2 years

The information is up to date at the time of printing. LiKAMED GmbH accepts no liability for discrepancies of colour and shape from the pictures. No responsibility is accepted for errors and misprints. LiKAMED GmbH reserves the right to make changes to publications and products at any time.

Where the masculine form or the generic masculine is used in this brochure for the sake of legibility, this specifically includes the feminine and other gender identities.



LiKAMED GmbH

Raußmühlstraße 7 · 75031 Eppingen · Germany Phone: +49 7262 9189-0 · E-Mail: info@likamed.de

